



<p>Product images</p>		
<p>Brief description</p>	<p>The AmbienTrack skirting board duct is installed on the floor and is a horizontal guide for cables, as well as a fitting for installation components near floor level. Combined with drywall construction, it is possible to partially integrate the skirting board duct into the wall. The baseboard is made of aluminium, and the same covers – available in natural aluminium and stainless steel finish – can be used as for the wall pillar. The special geometry of the skirting board duct yields two shadow gaps which can be backlit with the AmbienTrack LED strips. Furthermore, the AmbienTrack LED spotlights can be installed, or the rotating LED cube placed on top.</p>	
<p>Purchase order items</p>	<ul style="list-style-type: none"> • Baseboard 	<ul style="list-style-type: none"> • Cover
<p>Product diagram</p>		
<p>Profile lengths</p>	<ul style="list-style-type: none"> • 625 mm • 1,875 mm 	<ul style="list-style-type: none"> • 500 mm • 900 mm • 2,500 mm
<p>Material/Colours/Surfaces</p>	<ul style="list-style-type: none"> • Anodised natural aluminium E6EV1 	<ul style="list-style-type: none"> • Anodised natural aluminium E6EV1 • Aluminium with stainless steel finish
<p>Highlights</p>	<ul style="list-style-type: none"> • Cover with various perforations 	
<p>Applications</p>	<ul style="list-style-type: none"> • Skirting board duct • Skirting board duct integrated in drywalls • Side rail duct • Floor duct on the facade • Ceiling duct integrated in suspended plasterboard ceiling 	

<p>Installation options (sketch)</p>	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Drywall construction on screed flooring:</p> </div> <div style="text-align: center;"> <p>Drywall construction on flooring:</p> </div> <div style="text-align: center;"> <p>Surface-mounted:</p> </div> </div>																
<p>Installation instructions</p>	<ul style="list-style-type: none"> • Direct installation on upright profiles 																
<p>Accessories</p>	<ul style="list-style-type: none"> • Coupling pin (included in delivery) • Earthing set (included in delivery) • Light modules (LED strips, LED cubes) • Tool box 																
<p>Product benefits</p>	<ul style="list-style-type: none"> • Designer cable duct! • No need for earthing when using the tool box • Special geometry for integration in drywall constructions • Replaces the floor skirting board • Can be installed directly on screed flooring (replacement of the flooring without removing the duct). • Variable positioning of sockets and installation devices along the wall • Shadow gaps on both sides created a free-floating impression • No fingerprints on the surfaces • Screwless clip cover assembly • Complete camouflaging of the baseboard by the cover (no longitudinal joint) • Option of indirect LED lighting (light lines on both sides) 																
<p>Overview of items</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th colspan="4">SKIRTING BOARD CHANNEL</th> </tr> <tr> <th style="font-size: small;">Item-no.</th> <th style="font-size: small;">Designation</th> <th style="font-size: small;">Unit</th> <th style="font-size: small;">SRP</th> </tr> </thead> <tbody> <tr> <td>0010202</td> <td>A-Track skirting board channel; base profile; alu optic; anodized 625mm</td> <td>1 pc</td> <td>84,00</td> </tr> <tr> <td>0010204</td> <td>A-Track skirting board channel; base profile; alu optic; anodized 1.875mm</td> <td>1 pc</td> <td>174,00</td> </tr> </tbody> </table> <p style="margin-top: 20px;">See extra page for covers, tool box and light modules</p>	SKIRTING BOARD CHANNEL				Item-no.	Designation	Unit	SRP	0010202	A-Track skirting board channel; base profile; alu optic; anodized 625mm	1 pc	84,00	0010204	A-Track skirting board channel; base profile; alu optic; anodized 1.875mm	1 pc	174,00
SKIRTING BOARD CHANNEL																	
Item-no.	Designation	Unit	SRP														
0010202	A-Track skirting board channel; base profile; alu optic; anodized 625mm	1 pc	84,00														
0010204	A-Track skirting board channel; base profile; alu optic; anodized 1.875mm	1 pc	174,00														

<p>Product images</p>	
<p>Brief description</p>	<p>The same aluminium covers are used for the wall duct, corner duct, skirting board duct and the flat wall duct baseboard. There are two standard surface finishes (natural anodised and stainless steel). The covers are clipped onto the baseboard without screws. To match the various installation products and light modules, there are covers with the corresponding perforations. A special design feature is the frame-free installation of standard switch systems.</p>
<p>Product diagram</p>	
<p>Profile lengths</p>	<ul style="list-style-type: none"> • 500 mm • 900 mm • 2,500 mm • Further lengths on request
<p>Material/Colours/Surfaces</p>	<ul style="list-style-type: none"> • Anodised natural aluminium E6EV1 • Aluminium with stainless steel finish • Further surface finishes and colours (painted in all RAL colours) on request
<p>Versions</p>	<ul style="list-style-type: none"> • Closed cover • Cover with perforation for switch systems with 56x56 central plates (1 to 5-fold) • Cover with perforation for switch systems with 65x65 central plates (1 to 5-fold) • Cover with perforation for switch systems with 71x71 central plates (1 to 5-fold) • Cover with perforation for AmbienArt LED cube • Further perforations on request
<p>Installation instructions</p>	<p>Position the tool box in baseboard to match up with the perforation</p>
<p>Accessories</p>	<p>Universal cable outlet </p>
<p>Product benefits</p>	<ul style="list-style-type: none"> • Frame-free installation of standard switch systems (cover replaces the switch system frame) • No fingerprints on the surfaces • Screwless clip cover assembly • Complete camouflaging of the baseboard by the cover (no longitudinal joints)



<p>Switch systems</p>	<p>The table below shows an example of the AmbienTrack covers which should be used for particular manufacturer brands/ switch systems.</p> <table border="1" data-bbox="502 481 1204 1052"> <thead> <tr> <th>Manufacturer</th> <th>Cover 56x56</th> <th>Cover 65x65</th> <th>Cover 71x71</th> </tr> </thead> <tbody> <tr> <td>Merten</td> <td>M smart M Arc M star M Plan M Plan II</td> <td></td> <td></td> </tr> <tr> <td>Gira</td> <td>E2 Event Esprit standard 55</td> <td></td> <td></td> </tr> <tr> <td>Jung</td> <td>AS 500 AS 500 antibacterial A 500 AS universal</td> <td></td> <td>L990 Anthracite LS Plus High-gloss chrome</td> </tr> <tr> <td>Busch Jaeger</td> <td></td> <td>future future linear carat solo pure stainless steel</td> <td></td> </tr> </tbody> </table>	Manufacturer	Cover 56x56	Cover 65x65	Cover 71x71	Merten	M smart M Arc M star M Plan M Plan II			Gira	E2 Event Esprit standard 55			Jung	AS 500 AS 500 antibacterial A 500 AS universal		L990 Anthracite LS Plus High-gloss chrome	Busch Jaeger		future future linear carat solo pure stainless steel																																																																																													
Manufacturer	Cover 56x56	Cover 65x65	Cover 71x71																																																																																																														
Merten	M smart M Arc M star M Plan M Plan II																																																																																																																
Gira	E2 Event Esprit standard 55																																																																																																																
Jung	AS 500 AS 500 antibacterial A 500 AS universal		L990 Anthracite LS Plus High-gloss chrome																																																																																																														
Busch Jaeger		future future linear carat solo pure stainless steel																																																																																																															
<p>Maintenance</p>	<p>Clean the covers with a soft cloth only. If it is very dirty, you can use a neutral cleaning agent with a damp cloth. NEVER wash the profiles!</p>																																																																																																																
<p>Overview of items</p>	<table border="1" data-bbox="491 1299 1316 1960"> <thead> <tr> <th colspan="4">COVER</th> </tr> <tr> <th>Item-no.</th> <th>Designation</th> <th>Unit</th> <th>SRP</th> </tr> </thead> <tbody> <tr> <td colspan="4">anodized aluminum</td> </tr> <tr> <td>00114002</td> <td>A-Track cover; alu optic; 500mm</td> <td>1 pc</td> <td>29,50</td> </tr> <tr> <td>00114003</td> <td>A-Track cover; alu optic; 900mm</td> <td>1 pc</td> <td>39,50</td> </tr> <tr> <td>0011490</td> <td>A-Track cover; alu optic; cable outlet</td> <td>1 pc</td> <td>19,90</td> </tr> <tr> <td colspan="4">stainless steel optic</td> </tr> <tr> <td>00114005</td> <td>A-Track cover; stainless steel optic; 500mm</td> <td>1 pc</td> <td>39,50</td> </tr> <tr> <td>00114006</td> <td>A-Track cover; stainless steel optic; 900mm</td> <td>1 pc</td> <td>57,00</td> </tr> <tr> <td>0011491</td> <td>A-Track cover; stainless steel optic; cable outlet</td> <td>1 pc</td> <td>24,00</td> </tr> <tr> <th colspan="4">COVER SYSTEM 56MM</th> </tr> <tr> <th>Item-no.</th> <th>Designation</th> <th>Unit</th> <th>SRP</th> </tr> <tr> <td colspan="4">anodized aluminum</td> </tr> <tr> <td>00114501</td> <td>A-Track cover System 56; alu optic; / 1 gang; 900mm</td> <td>1 pc</td> <td>44,00</td> </tr> <tr> <td>00114503</td> <td>A-Track cover System 56; alu optic; / 2 gang; 900mm</td> <td>1 pc</td> <td>45,50</td> </tr> <tr> <td>00114505</td> <td>A-Track cover System 56; alu optic; / 3 gang; 900mm</td> <td>1 pc</td> <td>47,90</td> </tr> <tr> <td>00114507</td> <td>A-Track cover System 56; alu optic; / 4 gang; 900mm</td> <td>1 pc</td> <td>50,00</td> </tr> <tr> <td>00114508</td> <td>A-Track cover System 56; alu optic; / 5 gang; 900mm</td> <td>1 pc</td> <td>52,50</td> </tr> <tr> <td>00114504</td> <td>A-Track cover System 56; alu optic; / 2 gang; 2.500mm</td> <td>1 pc</td> <td>135,00</td> </tr> <tr> <td>00114506</td> <td>A-Track cover System 56; alu optic; / 2+1 gang; 2.500mm</td> <td>1 pc</td> <td>137,00</td> </tr> <tr> <td colspan="4">stainless steel optic</td> </tr> <tr> <td>00114509</td> <td>A-Track cover System 56; stainless steel optic; / 1 gang; 900mm</td> <td>1 pc</td> <td>61,50</td> </tr> <tr> <td>00114511</td> <td>A-Track cover System 56; stainless steel optic; / 2 gang; 900mm</td> <td>1 pc</td> <td>64,00</td> </tr> <tr> <td>00114513</td> <td>A-Track cover System 56; stainless steel optic; / 3 gang; 900mm</td> <td>1 pc</td> <td>66,00</td> </tr> <tr> <td>00114515</td> <td>A-Track cover System 56; stainless steel optic; / 4 gang; 900mm</td> <td>1 pc</td> <td>68,00</td> </tr> <tr> <td>00114516</td> <td>A-Track cover System 56; stainless steel optic; / 5 gang; 900mm</td> <td>1 pc</td> <td>70,00</td> </tr> <tr> <td>00114512</td> <td>A-Track cover System 56; stainless steel optic; / 2 gang; 2.500mm</td> <td>1 pc</td> <td>187,00</td> </tr> <tr> <td>00114514</td> <td>A-Track cover System 56; stainless steel optic; / 2+1 gang; 2.500mm</td> <td>1 pc</td> <td>189,00</td> </tr> </tbody> </table>	COVER				Item-no.	Designation	Unit	SRP	anodized aluminum				00114002	A-Track cover; alu optic; 500mm	1 pc	29,50	00114003	A-Track cover; alu optic; 900mm	1 pc	39,50	0011490	A-Track cover; alu optic; cable outlet	1 pc	19,90	stainless steel optic				00114005	A-Track cover; stainless steel optic; 500mm	1 pc	39,50	00114006	A-Track cover; stainless steel optic; 900mm	1 pc	57,00	0011491	A-Track cover; stainless steel optic; cable outlet	1 pc	24,00	COVER SYSTEM 56MM				Item-no.	Designation	Unit	SRP	anodized aluminum				00114501	A-Track cover System 56; alu optic; / 1 gang; 900mm	1 pc	44,00	00114503	A-Track cover System 56; alu optic; / 2 gang; 900mm	1 pc	45,50	00114505	A-Track cover System 56; alu optic; / 3 gang; 900mm	1 pc	47,90	00114507	A-Track cover System 56; alu optic; / 4 gang; 900mm	1 pc	50,00	00114508	A-Track cover System 56; alu optic; / 5 gang; 900mm	1 pc	52,50	00114504	A-Track cover System 56; alu optic; / 2 gang; 2.500mm	1 pc	135,00	00114506	A-Track cover System 56; alu optic; / 2+1 gang; 2.500mm	1 pc	137,00	stainless steel optic				00114509	A-Track cover System 56; stainless steel optic; / 1 gang; 900mm	1 pc	61,50	00114511	A-Track cover System 56; stainless steel optic; / 2 gang; 900mm	1 pc	64,00	00114513	A-Track cover System 56; stainless steel optic; / 3 gang; 900mm	1 pc	66,00	00114515	A-Track cover System 56; stainless steel optic; / 4 gang; 900mm	1 pc	68,00	00114516	A-Track cover System 56; stainless steel optic; / 5 gang; 900mm	1 pc	70,00	00114512	A-Track cover System 56; stainless steel optic; / 2 gang; 2.500mm	1 pc	187,00	00114514	A-Track cover System 56; stainless steel optic; / 2+1 gang; 2.500mm	1 pc	189,00
COVER																																																																																																																	
Item-no.	Designation	Unit	SRP																																																																																																														
anodized aluminum																																																																																																																	
00114002	A-Track cover; alu optic; 500mm	1 pc	29,50																																																																																																														
00114003	A-Track cover; alu optic; 900mm	1 pc	39,50																																																																																																														
0011490	A-Track cover; alu optic; cable outlet	1 pc	19,90																																																																																																														
stainless steel optic																																																																																																																	
00114005	A-Track cover; stainless steel optic; 500mm	1 pc	39,50																																																																																																														
00114006	A-Track cover; stainless steel optic; 900mm	1 pc	57,00																																																																																																														
0011491	A-Track cover; stainless steel optic; cable outlet	1 pc	24,00																																																																																																														
COVER SYSTEM 56MM																																																																																																																	
Item-no.	Designation	Unit	SRP																																																																																																														
anodized aluminum																																																																																																																	
00114501	A-Track cover System 56; alu optic; / 1 gang; 900mm	1 pc	44,00																																																																																																														
00114503	A-Track cover System 56; alu optic; / 2 gang; 900mm	1 pc	45,50																																																																																																														
00114505	A-Track cover System 56; alu optic; / 3 gang; 900mm	1 pc	47,90																																																																																																														
00114507	A-Track cover System 56; alu optic; / 4 gang; 900mm	1 pc	50,00																																																																																																														
00114508	A-Track cover System 56; alu optic; / 5 gang; 900mm	1 pc	52,50																																																																																																														
00114504	A-Track cover System 56; alu optic; / 2 gang; 2.500mm	1 pc	135,00																																																																																																														
00114506	A-Track cover System 56; alu optic; / 2+1 gang; 2.500mm	1 pc	137,00																																																																																																														
stainless steel optic																																																																																																																	
00114509	A-Track cover System 56; stainless steel optic; / 1 gang; 900mm	1 pc	61,50																																																																																																														
00114511	A-Track cover System 56; stainless steel optic; / 2 gang; 900mm	1 pc	64,00																																																																																																														
00114513	A-Track cover System 56; stainless steel optic; / 3 gang; 900mm	1 pc	66,00																																																																																																														
00114515	A-Track cover System 56; stainless steel optic; / 4 gang; 900mm	1 pc	68,00																																																																																																														
00114516	A-Track cover System 56; stainless steel optic; / 5 gang; 900mm	1 pc	70,00																																																																																																														
00114512	A-Track cover System 56; stainless steel optic; / 2 gang; 2.500mm	1 pc	187,00																																																																																																														
00114514	A-Track cover System 56; stainless steel optic; / 2+1 gang; 2.500mm	1 pc	189,00																																																																																																														



Overview of items



COVER SYSTEM 65MM

anodized aluminum

Item-no.	Designation	Unit	SRP
00114601	A-Track cover System 65; alu optic; / 1 gang; 900mm		
00114603	A-Track cover System 65; alu optic; / 2 gang; 900mm	1 pc	45,50
00114604	A-Track cover System 65; alu optic; / 3 gang; 900mm	1 pc	47,90
00114605	A-Track cover System 65; alu optic; / 4 gang; 900mm	1 pc	50,00
00114606	A-Track cover System 65; alu optic; / 5 gang; 900mm	1 pc	52,50

stainless steel optic

00114607	A-Track cover System 65; stainless steel optic; / 1 gang; 900mm	1 pc	61,50
00114609	A-Track cover System 65; stainless steel optic; / 2 gang; 900mm	1 pc	64,00
00114610	A-Track cover System 65; stainless steel optic; / 3 gang; 900mm	1 pc	66,00
00114611	A-Track cover System 65; stainless steel optic; / 4 gang; 900mm	1 pc	68,00
00114612	A-Track cover System 65; stainless steel optic; / 5 gang; 900mm	1 pc	70,00

COVER SYSTEM 71MM

anodized aluminum

Item-no.	Designation	Unit	SRP
00114701	A-Track cover System 71; alu optic; / 1 gang; 900mm	1 pc	44,00
00114703	A-Track cover System 71; alu optic; / 2 gang; 900mm	1 pc	45,50
00114704	A-Track cover System 71; alu optic; / 3 gang; 900mm	1 pc	47,90
00114705	A-Track cover System 71; alu optic; / 4 gang; 900mm	1 pc	50,00
00114706	A-Track cover System 71; alu optic; / 5 gang; 900mm	1 pc	52,50

stainless steel optic

00114707	A-Track cover System 71; stainless steel optic; / 1 gang; 900mm	1 pc	61,50
00114709	A-Track cover System 71; stainless steel optic; / 2 gang; 900mm	1 pc	64,00
00114710	A-Track cover System 71; stainless steel optic; / 3 gang; 900mm	1 pc	66,00
00114711	A-Track cover System 71; stainless steel optic; / 4 gang; 900mm	1 pc	68,00
00114712	A-Track cover System 71; stainless steel optic; / 5 gang; 900mm	1 pc	70,00

COVER UNIVERSALAUSSLASS

anodized aluminum

Item-no.	Designation	Unit	SRP
0011490	A-Track cover; alu optic; cable outlet	1 pc	19,90

stainless steel optic

0011491	A-Track cover; stainless steel optic; cable outlet	1 pc	24,00
---------	--	------	-------